

**ETC Tiger Pipeline, LLC
ETC Tiger Pipeline**

FERC Docket No. CP09-460-000

Response to:

**FERC Staff's May 3 and May 8, 2010
Comments on ETC Tiger's
April 15, 2010 Implementation Plan: Pipeline**

Filed May 10, 2010

ATTACHMENT 2

Right-of-Way Width Configuration by Milepost

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
0.03	0.98	125
0.98	1.05	100
1.05	1.07	125
1.07	1.15	100
1.15	1.17	125
1.17	1.20	100
1.20	1.26	125
1.26	2.15	100
2.15	2.46	120
2.46	2.61	100
2.61	2.68	75
2.68	2.69	100
2.69	3.16	125
3.16	3.32	100
3.32	3.58	125
3.58	3.79	120
3.79	3.86	125
3.86	4.21	120
4.21	4.32	125
4.32	4.36	100
4.36	4.47	125
4.47	5.06	100
5.06	5.13	75
5.13	5.28	100
5.28	5.80	HDD – Sabine River
5.80	5.93	100
5.93	5.98	75
5.98	6.28	100
6.28	6.35	125
6.35	6.37	100
6.37	6.39	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
6.39	6.49	120
6.49	6.66	125
6.66	6.76	102
6.76	6.94	125
6.94	6.98	120
6.98	7.13	90
7.13	12.40	125
12.40	12.41	100
12.41	12.46	125
12.46	12.51	100
12.51	12.82	125
12.82	13.48	HDD - Socagee Creek
13.48	14.20	125
14.20	14.22	100
14.22	14.69	125
14.69	14.70	60
14.70	14.72	100
14.72	15.61	125
15.61	15.67	100
15.67	16.64	125
16.64	16.68	100
16.68	16.74	125
16.74	16.74	100
16.74	16.84	125
16.84	16.86	100
16.86	20.94	125
20.94	21.28	100
21.28	21.50	125
21.50	21.54	100
21.54	22.03	125
22.03	22.06	100
22.06	24.77	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
24.77	24.80	80
24.80	25.09	125
25.09	25.20	80
25.20	25.52	125
25.52	25.53	60
25.53	25.91	125
25.91	26.20	100
26.20	26.37	125
26.37	26.65	100
26.65	26.82	125
26.82	27.45	100
27.45	27.65	125
27.65	27.67	100
27.67	27.75	125
27.75	27.85	100
27.85	27.96	125
27.96	28.13	100
28.13	28.17	125
28.17	28.20	100
28.20	28.31	125
28.31	28.48	100
28.48	28.58	125
28.58	28.64	60
28.64	29.91	125
29.91	29.93	100
29.93	33.56	125
33.56	33.59	105
33.59	34.25	125
34.25	34.29	100
34.29	34.43	125
34.43	34.46	100
34.46	34.58	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
34.58	34.65	120
34.65	34.70	80
34.70	34.82	120
34.82	34.87	80
34.87	35.03	120
35.03	35.12	125
35.12	35.14	100
35.14	35.21	125
35.21	35.27	80
35.27	35.36	100
35.36	35.46	125
35.46	35.50	100
35.50	35.51	125
35.51	35.53	105
35.53	35.59	125
35.59	35.75	100
35.75	36.10	HDD – Interstate 49
36.10	36.13	125
36.13	36.16	100
36.16	36.38	125
36.38	36.41	100
36.41	36.60	125
36.60	36.63	100
36.63	36.98	125
36.98	37.01	100
37.01	37.15	125
37.15	37.18	100
37.18	37.19	125
37.19	37.20	80
37.20	37.22	60
37.22	37.35	125
37.35	37.46	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
37.46	37.84	125
37.84	37.91	100
37.91	37.91	80
37.91	37.93	60
37.93	38.22	125
38.22	38.26	100
38.26	38.30	120
38.30	38.32	100
38.32	38.37	125
38.37	38.39	100
38.39	38.66	125
38.66	38.75	100
38.75	38.80	120
38.80	38.83	100
38.83	39.34	125
39.34	39.43	100
39.43	40.55	125
40.55	40.61	100
40.61	40.68	125
40.68	41.15	120
41.15	42.74	125
42.74	43.09	HDD - Bayou Pierre
43.09	43.14	125
43.14	43.16	100
43.16	43.35	125
43.35	43.37	100
43.37	43.80	125
43.80	44.41	90
44.41	44.53	100
44.53	44.96	75
44.96	45.44	100
45.44	45.55	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
45.55	46.11	150
46.11	46.70	125
46.70	47.04	HDD - Prairie River
47.04	47.96	150
47.96	48.21	125
48.21	48.46	150
48.46	48.71	125
48.71	49.29	150
49.29	49.53	125
49.53	49.63	100
49.63	50.34	125
50.34	50.67	HDD - Ash & Powell Bayou
50.67	51.14	125
51.14	51.19	100
51.19	51.22	125
51.22	51.26	60
51.26	51.59	125
51.59	52.12	HDD - Red River
52.12	52.14	125
52.14	52.22	100
52.22	52.26	125
52.26	52.31	100
52.31	52.40	125
52.40	52.52	120
52.52	53.03	150
53.03	53.06	50
53.06	53.39	150
53.39	53.40	50
53.40	53.70	150
53.70	53.94	125
53.94	53.97	75
53.97	54.10	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
54.10	54.11	75
54.11	54.49	125
54.49	54.83	HDD - Loggy Bayou
54.83	54.80	125
54.80	55.25	120
55.25	55.69	125
55.69	55.72	60
55.72	56.30	125
56.30	56.76	HDD - Toulon Bayou
56.76	56.75	125
56.75	56.78	100
56.78	58.52	125
58.52	58.53	100
58.53	60.18	125
60.18	60.23	100
60.23	60.48	125
60.48	60.50	100
60.50	61.32	125
61.32	61.47	75
61.47	61.56	125
61.56	61.57	100
61.57	61.96	125
61.96	62.01	100
62.01	62.07	125
62.07	62.25	120
62.25	63.83	125
63.83	63.86	115
63.86	63.92	125
63.92	63.94	60
63.94	65.98	125
65.98	66.15	100
66.15	66.26	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
66.26	66.51	100
66.51	66.56	80
66.56	66.83	125
66.83	66.88	100
66.88	67.80	125
67.80	68.54	HDD - Black Lake Bayou
68.54	68.97	120
68.97	68.98	80
68.98	69.21	120
69.21	69.37	125
69.37	69.66	150
69.66	69.80	125
69.80	69.87	100
69.87	71.28	125
71.28	71.29	60
71.29	71.31	125
71.31	71.34	100
71.34	71.51	125
71.51	71.56	100
71.56	71.90	125
71.90	72.02	120
72.02	72.09	125
72.09	72.19	100
72.19	72.41	125
72.41	72.55	120
72.55	72.68	125
72.68	72.71	100
72.71	73.95	125
73.95	74.00	100
74.00	74.38	125
74.38	74.40	120
74.40	74.52	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
74.52	74.82	120
74.82	76.09	125
76.09	76.31	100
76.31	76.67	125
76.67	76.72	120
76.72	76.82	100
76.82	78.07	125
78.07	78.11	100
78.11	78.41	125
78.41	78.52	99
78.52	79.79	125
79.79	79.89	95
79.89	81.46	125
81.46	81.54	100
81.54	81.62	125
81.62	81.72	100
81.72	82.10	HDD - State Hwy 9
82.10	82.25	125
82.25	82.28	85
82.28	82.45	125
82.45	82.48	80
82.48	82.51	125
82.51	83.46	HDD - Saline Bayou
83.46	84.47	125
84.47	84.53	95
84.53	85.47	125
85.47	85.47	100
85.47	85.49	87
85.49	85.67	125
85.67	85.68	100
85.68	85.74	84
85.74	85.77	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
85.77	86.46	125
86.46	86.47	100
86.47	86.77	125
86.77	86.79	100
86.79	88.17	125
88.17	88.20	60
88.20	88.48	125
88.48	88.65	87
88.65	88.74	125
88.74	88.84	120
88.84	88.88	100
88.88	88.90	120
88.90	91.75	125
91.75	92.03	80
92.03	92.64	125
92.64	92.68	75
92.68	93.06	125
93.06	93.15	100
93.15	93.28	125
93.28	93.53	95
93.53	93.73	125
93.73	93.78	100
93.78	94.02	125
94.02	94.28	100
94.28	94.37	125
94.37	94.46	80
94.46	94.53	100
94.53	94.66	125
94.66	94.69	85
94.69	94.88	125
94.88	95.32	95
95.32	95.43	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
95.43	95.50	100
95.50	95.78	125
95.78	95.82	80
95.82	95.99	125
95.99	96.00	60
96.00	96.02	125
96.02	96.04	120
96.04	96.09	75
96.09	96.38	120
96.38	96.97	HDD - Dugdemona Bayou
96.97	97.34	120
97.34	97.36	75
97.36	98.19	125
98.19	98.27	60
98.27	100.46	125
100.46	100.52	100
100.52	100.86	125
100.86	101.16	HDD - Willow Creek
101.16	101.28	125
101.28	101.33	120
101.33	101.68	125
101.68	101.70	60
101.70	101.78	90
101.78	101.80	125
101.80	101.81	100
101.81	102.95	125
102.95	103.01	100
103.01	103.35	125
103.35	103.39	80
103.39	103.41	105
103.41	105.44	125
105.44	105.50	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
105.50	105.53	75
105.53	105.54	120
105.54	105.59	125
105.59	105.62	100
105.62	106.98	125
106.98	107.07	100
107.07	107.70	125
107.70	107.80	100
107.80	107.89	75
107.89	107.93	100
107.93	108.83	125
108.83	108.89	100
108.89	108.94	125
108.94	108.96	100
108.96	109.40	125
109.40	109.44	100
109.44	110.31	125
110.31	110.34	100
110.34	110.67	125
110.67	110.70	100
110.70	111.00	125
111.00	111.03	100
111.03	112.03	125
112.03	112.29	120
112.29	112.58	125
112.58	112.86	150
112.86	112.89	60
112.89	113.10	125
113.10	113.12	60
113.12	114.33	125
114.33	114.39	100
114.39	114.56	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
114.56	114.82	100
114.82	115.57	HDD - State Highway 34
115.57	116.03	125
116.03	116.34	120
116.34	117.30	125
117.30	117.49	115
117.49	117.86	HDD - Flat Creek
117.86	119.05	125
119.05	119.12	100
119.12	119.18	120
119.18	119.39	125
119.39	119.42	100
119.42	120.41	125
120.41	120.45	100
120.45	121.28	125
121.28	121.30	60
121.30	123.51	125
123.51	123.88	100
123.88	124.32	125
124.32	124.35	100
124.35	125.10	125
125.10	125.35	120
125.35	125.39	75
125.39	125.43	125
125.43	125.53	100
125.53	126.60	125
126.60	126.62	60
126.62	127.45	125
127.45	127.57	95
127.57	127.88	125
127.88	127.90	60
127.90	130.16	125

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
130.16	130.22	100
130.22	130.34	125
130.34	130.41	100
130.41	130.55	125
130.55	130.58	80
130.58	130.71	125
130.71	130.75	100
130.75	131.07	125
131.07	131.12	100
131.12	132.73	125
132.73	132.81	100
132.81	132.96	125
132.96	132.98	60
132.98	133.66	125
133.66	133.68	100
133.68	133.94	125
133.94	134.26	150
134.26	134.28	125
134.28	134.31	75
134.31	134.32	125
134.32	134.77	150
134.77	134.79	100
134.79	135.80	150
135.80	136.45	HDD - Ouachita River
136.45	137.24	150
137.24	137.25	125
137.25	138.39	100
138.39	140.42	150
140.42	140.80	HDD - Bayou Lafourche
140.80	143.55	150
143.55	143.64	125
143.64	143.84	95

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
143.84	145.05	100
145.05	145.09	125
145.09	145.86	150
145.86	146.19	HDD - Steep Bayou
146.19	147.18	150
147.18	147.58	HDD - Boeuf River
147.58	148.94	150
148.94	148.97	125
148.97	149.64	100
149.64	149.97	150
149.97	149.98	60
149.98	150.05	120
150.05	150.08	75
150.08	150.13	135
150.13	150.68	150
150.68	150.81	97
150.81	150.83	120
150.83	150.95	98
150.95	151.08	120
151.08	151.46	150
151.46	151.49	84
151.49	151.54	100
151.54	152.10	150
152.10	152.19	100
152.19	152.79	150
152.79	152.92	75
152.92	152.95	125
152.95	153.01	100
153.01	153.28	125
153.28	153.40	75
153.40	153.43	125
153.43	154.03	150

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
154.03	154.16	100
154.16	154.21	120
154.21	154.25	150
154.25	154.36	75
154.36	154.46	125
154.46	154.53	150
154.53	154.55	125
154.55	154.92	150
154.92	154.93	60
154.93	155.04	150
155.04	155.11	95
155.11	155.27	150
155.27	155.31	60
155.31	155.84	150
155.84	156.21	HDD - Bee Bayou
156.21	156.42	150
156.42	156.77	125
156.77	156.79	100
156.79	156.86	125
156.86	156.90	75
156.90	157.09	150
157.09	157.19	125
157.19	157.27	100
157.27	157.66	125
157.66	157.70	100
157.70	157.75	125
157.75	157.76	100
157.76	157.80	80
157.80	157.92	125
157.92	158.00	100
158.00	158.29	125
158.29	158.82	150

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
158.82	159.10	125
159.10	159.13	93
159.13	159.19	75
159.19	159.21	93
159.21	159.27	120
159.27	159.33	125
159.33	159.39	120
159.39	159.54	100
159.54	159.60	120
159.60	159.65	95
159.65	159.95	150
159.95	160.01	125
160.01	160.07	100
160.07	160.32	150
160.32	160.37	90
160.37	160.41	105
160.41	160.57	125
160.57	160.60	105
160.60	160.62	80
160.62	161.03	150
161.03	161.06	75
161.06	161.49	150
161.49	161.53	100
161.53	161.63	150
161.63	161.70	125
161.70	161.83	120
161.83	161.92	90
161.92	161.94	100
161.94	162.19	150
162.19	162.22	130
162.22	162.25	150
162.25	162.32	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
162.32	162.50	125
162.50	162.53	100
162.53	162.54	125
162.54	162.71	150
162.71	162.73	125
162.73	162.77	100
162.77	162.82	120
162.82	162.86	95
162.86	163.14	150
163.14	163.30	125
163.30	163.81	150
163.81	163.83	120
163.83	163.91	100
163.91	164.04	125
164.04	164.56	150
164.56	164.58	100
164.58	164.62	75
164.62	164.63	100
164.63	164.70	125
164.70	165.11	120
165.11	165.44	HDD - Siphon Creek
165.44	165.61	125
165.61	165.64	100
165.64	165.94	125
165.94	166.26	HDD - Big Creek
166.26	166.57	125
166.57	166.60	100
166.60	166.82	75
166.82	167.01	90
167.01	167.65	150
167.65	167.67	150
167.67	167.68	60

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
167.68	167.76	125
167.76	168.00	120
168.00	168.17	125
168.17	168.21	100
168.21	168.38	125
168.38	168.68	150
168.68	168.76	75
168.76	168.83	150
168.83	168.95	75
168.95	168.98	125
168.98	169.01	75
169.01	169.03	125
169.03	169.14	150
169.14	169.19	125
169.19	169.28	100
169.28	169.34	125
169.34	169.36	100
169.36	169.48	125
169.48	169.52	100
169.52	169.53	125
169.53	169.62	100
169.62	169.72	125
169.72	169.79	100
169.79	169.84	125
169.84	169.87	100
169.87	169.90	125
169.90	169.94	100
169.94	169.97	125
169.97	170.19	100
170.19	170.28	125
170.28	170.30	85
170.30	170.32	100

Right-of-Way Width Configuration by Milepost		
Approximate		Right-of-Way Configuration Width (feet)
Enter MP	Exit MP	
170.32	170.68	125
170.68	170.87	100
170.87	170.99	125
170.99	171.08	100
171.08	171.25	125
171.25	171.27	100
171.27	171.36	125
171.36	171.41	100
171.41	171.52	125
171.52	171.62	120
171.62	171.75	125
171.75	171.79	80
171.79	172.16	125
172.16	172.36	120
172.36	172.49	125
172.49	172.51	120
172.51	172.61	100
172.61	172.64	125
172.64	172.70	150
172.70	172.75	93
172.75	172.86	150
172.86	172.86	125
172.86	172.89	100
172.89	173.19	125
173.19	174.88	150
174.88	174.90	60
174.90	175.10	180